



Inland Neurosurgery Institute

BRAIN, SPINAL, STEREOTACTIC, AND MICRONEUROLOGICAL SURGERY

255 East Bonita Ave., Building #9, Pomona, CA. 91767

1015 North First Ave, Arcadia, CA 91006

Ph: (909) 450-0369

Fax: (909) 450-0366

INIsurgeons.com

Scott C. Lederhaus, M.D.

Diplomate American Board of Neurological Surgery

Lew B. Disney, M.D., Ph.D.

Fellow Royal College of Surgeons

Jose L. Rodriguez, M.D.

Diplomate American Board of Neurological Surgery

Ramin AmirNovin, M.D.

Diplomate American Board of Neurological Surgery

Discharge Instructions - Stereotactic Brain Biopsy

General:

- Take the pain meds given you by your physician only as needed.
- Don't drive until cleared by your surgeon
- Do not have any dental/surgical procedures 2 weeks before & 2 months after your surgery
- Take stool softeners, lots of fluids, high fiber foods, and fruits/vegetables to prevent constipation.
- Stay mobile by walking (up to 30 minutes at a time)
- AVOID:
 - o Bending over or lifting more than 10-15 pounds
 - o Excessive activity for the first month after surgery
- Follow-up with your surgeon as indicated in your surgery packet.

Wound care:

- Keep wound dry for 2 days
- Shower after 2 days but do not take baths or swim
- After showers, dab wound dry
- Do not scratch wound

Notify surgeon:

- If your oral temperature is above 101 F
- If wound is leaking, red, or increasingly swollen
- If headaches worsen, you develop new weakness, or cannot urinate
- If you develop nausea, vomiting, sleepiness, or vision/speaking problems